

PTO/S&amp;P 97 (08-00)

Approved for use through 10/31/2002. OMB 0551-0031

U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Application Number: 10/661,174

Filing Date: 9/11/2003

Certificate of Transmission under 37 CFR 1.8

RECEIVED  
CENTRAL FAX CENTER

APR 28 2006

I hereby certify that this correspondence is being facsimile transmitted to the  
United States Patent and Trademark Office

on 04/28/2006

Date

  
SignatureLaurie Morgan

Typed or printed name of person signing Certificate

Note: Each paper must have its own certificate of transmission, or this certificate must identify  
each submitted paper.

1. Supplemental Response to Office Action Dated 11/29/2005

To: Examiner Walberg  
(571) 273-4790

Total pages including cover sheet: 4

HW1-0009US  
980-00-0003

*Please notify us immediately (509-324-9256) if  
there is a problem with the quality of this fax.*

Burden Hour Statement: This form is estimated to take 0.03 hours to complete. Time will vary depending upon the needs of the individual case.  
Any comments on the amount of time required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark  
Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents,  
Washington, DC 20231.

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Application Serial No. .... 10/661,174  
Filing Date ..... September 11, 2003  
Inventorship ..... Dilley  
5 Assignee ..... Honeywell  
Group Art Unit ..... 3753  
Examiner ..... Walberg  
Attorney's Docket No. .... 980-00-003  
10 Title: Heat Exchanger

SUPPLEMENTAL RESPONSETO OFFICE ACTION DATED NOVEMBER 29, 2005

15 To: Honorable Commissioner of Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450  
  
VIA FAX: 1-571-273-4790 (Examiner Walberg)  
20 From: Brian J. Pangrle  
Lee & Hayes, PLLC  
421 W. Riverside Avenue, Suite 500  
Spokane, WA 99201  
25 (all correspondence to Honeywell International)

Sir/Madam:

In response to the Office Action of November 29, 2005, please amend  
the above-identified application as follows:

30 **Amendments to the Specification** begin on page 2 of this paper.  
  
**Remarks/Arguments** begin on page 3 of this paper.